		A 114(a)
	Application No.	Applicant(s)
	10/760,305	PAUMIER ET AL.
Notice of Allowability	Examiner	Art Unit
	Kurt Fernstrom	3712
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-12</u> .		
3. A The drawings filed on 20 May 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	6. ☐ Interview Summary Paper No./Mail Dat 18), 7. ☐ Examiner's Amendn 8. ☑ Examiner's Stateme	
of Biological Material	9.	

Application/Control Number: 10/760,305

Art Unit: 3712

DETAILED ACTION

Allowable Subject Matter

Claims 1-12 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art fails to disclose a device having all of the limitations of claims 1 and 10. In particular, there is no disclosure or suggestion of a holder which is **fixed** in each of a plurality of recesses around the periphery of a disc of a stump grinding apparatus, where a cutter tooth is mounted in each holder, in the manner claimed. It is clear that in context, "fixed" refers to a holder which is nonremovably attached to the disc. Pages 5 and 6 of the specification discloses that the holder may be welded to the disc at the walls of the recess. While stump grinding apparatuses having holders located in peripheral recesses, each of these holders is removably attachable to the disc. Bennington discloses one such example. The present invention has advantages over the prior art, in that cutter teeth may be more securely attached to the disc, while each pocket enables a user easy access to use a socket wrench to replace a cutter tooth. Figure 6 best shows the configuration of the invention. Because the invention as recited in claims 1 and 10 is not disclosed or suggested in the prior art, these claims, and all claims dependent therefrom, are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/760,305

Art Unit: 3712

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Monyak, Bennington, Wilson, Clemenson, Ritchey, Leonardi, Bowling, Ziehm, Hooser, Van Zante, Ver Ploeg and McCreery discloses various stump grinding and other rotary cutting devices comprising discs having cutter teeth disposed thereon.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kurt Fernstrom whose telephone number is (703) 305-0303. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on (703) 308-1745. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KF

August 5, 2004